

Confronting Global Change - September 16-21, 2012

Th1-D Karst Aquifers, Environmental Problems and Global Change

Stable isotope studies on altitude effect and karst groundwater catchment delineation of the Jeita spring in Lebanon

Paul Koeniger, Armin Margane, Thomas Himmelsbach



Outline




Introduction and objectives

- ➤ Jeita spring in Lebanon supplies 75% of drinking water for capital city of Beirut
- > Heavily karstified catchment area
- Severe environmental problems due to uncontrolled settlements: (water quality problems >> water quantity)

Implement stable isotopes for investigation and protection of groundwater resources and to define GW catchments







Study site and methods

- ➤ Geology: Lebanon Mountain range with Cretaceous and Jurassic aquifers
- Climate is Mediterranean with high snowfall in winter (P = 900 to >2000 mm/yr)
- > Poor monitoring of meteorological and hydrological data
- Stable isotope sampling of groundwater (six springs) and precipitation; snow sampling campaign during winter 2012
- > Altitude effect using available precipitation data





Results: Oxygen-18 vs. Deuterium plot






Results: Deuterium time series of springs








GEOZENTRUM HANNOVER

Results: Altitude effect / catchment altitude



Conclusions

- > Stable isotopes show seasonal variations: indicate fast flow!
- > Clear isotopic difference of springs: indicate elevation signal!
- > Local meteoric water lines and snow melt contribution unclear!
- Mean catchment elevation is different for Kashkoush and Jeita!
- > All springs reflect high deuterium excess values!
- > Groundwater age / are there slow components contributing?



Thanks for your attention **Acknowledgements** Jean Abi-Rizk Renata Raad **Ayman Ibrahim** Najib Najib (Photo: Armin Margane)



German Federal Institute for Geosciences and Natural Resources